



CV SCIENCES™

Certificate of Analysis  
May 6, 2021

**Sample ID:** FP-21-0110  
**Product Name:** PlusCBD Raw Softgels  
**Batch/Lot #:** A21095-31104  
**Strength:** 5mg 30ct  
**Expiration:** 02/23  
**Analyst:** HP



<u>Physical Properties</u>	<u>Result</u>	<u>Method</u>
Appearance	Pass	Organoleptic
Color	Pass	Organoleptic
Aroma	Pass	Organoleptic
<u>Cannabinoid</u>	<u>mg/unit</u>	<u>Method</u>
CBD	4.66	HPLC
CBDV	0.04	HPLC
CBDA	2.01	HPLC
CBGA	0.02	HPLC
CBG	0.07	HPLC
CBN	ND	HPLC
Δ <sup>9</sup> -THC	0.13	HPLC
CBC	0.70	HPLC
THCA	0.03	HPLC
<b>Total CBD/CBDA</b>	<b>6.67 mg</b>	
<b>Total Cannabinoids</b>	<b>7.66 mg</b>	
<b>Sample Size</b>	<b>0.43g (1 softgel)</b>	
<b>THC by Mass</b>	<b>0.0302 %</b>	

ND = NOT DETECTED

*Hayley Palmer*

MAY 06 2021

*Ryan Santiago*

MAY 06 2021

Analyst \_\_\_\_\_ Date \_\_\_\_\_  
Hayley Palmer, B.S.  
Quality Analyst

Reviewed By \_\_\_\_\_ Date \_\_\_\_\_  
Ryan Santiago, B.S.  
Senior Quality Associate

This Certificate of Analysis has been generated to document product test results. The "Reviewed By" signature does not indicate finished product release for distribution.



# Certificate of Analysis

CV Sciences, Inc.

10070 Barnes Canyon Road  
San Diego, CA 92121  
Vandana Kothari

Sample

2105DBL0046.4795

Batch FP-21-0110

Lot A21095-31104

Ordered 5/7/2021

Completed 5/12/2021

PlusCBD Raw Softgels - 5mg 30ct EXP: 02/23

## Cannabinoids

	6.35	1.50	0.42
Total CBD (mg/unit)			
		% Total CBD	Unit weight (g)
Cannabinoid	LOQ %	Mass %	Mass mg/g Concentration
CBD	0.01	1.02	10.2
CBDA	0.01	0.48	4.8
d9-THC	0.01	0.02	0.2
THCA-A	0.01	<LOQ	<LOQ
d8-THC	0.01	<LOQ	<LOQ
THCV	0.01	<LOQ	<LOQ
CBDV	0.01	<LOQ	<LOQ
CBDVA	0.01	<LOQ	<LOQ
CBGA	0.01	<LOQ	<LOQ
CBG	0.01	<LOQ	<LOQ
CBN	0.01	<LOQ	<LOQ
CBC	0.01	0.04	0.4
CBZ	0.01	<LOQ	<LOQ
Total CBD = CBDA + CBD			

## Pesticides/Plant Growth Regulators

Pesticides	Status	Sample (PPB)	LOQ (PPB)
Acequinocyl	PASS	<LOQ	10
Abamectin	PASS	<LOQ	10
Bifenazate	PASS	<LOQ	10
Fenoxycarb	PASS	<LOQ	10
Fludioxonil	PASS	<LOQ	10
Imidacloprid	PASS	<LOQ	10
Myclobutanil	PASS	<LOQ	10
Pyrethrin	PASS	<LOQ	10
Spinosad	PASS	<LOQ	10
Spiromesifen	PASS	<LOQ	10
Spirotetramat	PASS	<LOQ	10
Tebuconazole	PASS	<LOQ	10
Plant Growth Regulators			
Daminozide	PASS	<LOQ	10

## Residual Solvents

Compound	Status	Limit (PPM)
Propane	PASS	500
Methanol	PASS	500
Isobutane	PASS	500
Ethanol	PASS	500
Isopropanol	PASS	500
Isopentane	PASS	500
n-Butane	PASS	500
n-Hexane	PASS	500
2,2-Dimethylbutane	PASS	500
3-Methylpentane	PASS	500
2-Methylpentane	PASS	500
Cyclohexane	PASS	500
Neopentane	PASS	500
n-Heptane	PASS	500
n-Pentane	PASS	500
Benzene	PASS	500

## Microbiology

Quantitative Analysis	Status	Sample	LOQ	Limit
	Pass/Fail	CFU/g	CFU/g	CFU/g
Mold/Mildew/Yeast	PASS	<LOQ	80	10,000
Enterobacteriaceae	PASS	<LOQ	80	1,000
Aerobic Bacteria	PASS	<LOQ	800	100,000
Coliforms	PASS	<LOQ	80	1,000
Qualitative Analysis		Detected or Not-detected		
E. Coli	PASS		Not-detected	
Salmonella	PASS		Not-detected	
Pseudomonas	PASS		Not-detected	

## Heavy Metals

Compound	Status	Sample	LOQ	Limit
	Pass/Fail	PPB	PPB	PPB
Arsenic	PASS	102	23	1500
Cadmium	PASS	<LOQ	23	500
Mercury	PASS	<LOQ	23	1000
Lead	PASS	<LOQ	23	500

1. The hemp extract is the product of a batch tested by the independent testing laboratory;  
2. The batch contained a total delta-9-tetrahydrocannabinol concentration that did not exceed 0.3 percent pursuant to the testing of a random sample of the batch; and  
3. The batch does not contain contaminants unsafe for human consumption.\*



*Stacy Gardalen*

Stacy Gardalen  
Director

*Glen Marquez*

Glen Marquez  
Quality Control

The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ = Limit of Quantitation, NA = Not Analyzed, ND = Not Detected, PGR = Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by DB Labs, LLC (MMEN 61887736101164525768) using valid testing methodologies and a quality system as required by Nevada state law. Values reported relate only to the product tested. DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. \*Tested analytes and limits were set by the customer. This Certificate shall not be reproduced except in full, without the written approval of DB Labs.



4439 Polaris Ave.  
Las Vegas, NV 89103  
(702)729-5180  
www.dblabslv.com

**ANALYZED BY:**

Anresco Laboratories  
1375 Van Dyke Avenue,  
San Francisco, CA 94124  
C8-0000052-LIC

**DISTRIBUTOR:**

CV Sciences  
10070 Barnes Canyon Road suite 100  
SAN DIEGO 92121  
n/a

**MANUFACTURER:**

CV Sciences, Inc.  
Attn: Vandana Kothari  
10070 Barnes Canyon Road, Suite 100  
San Diego, CA 92121



**SAMPLE INFORMATION**

**Sample No.:** 1082262  
**Product Name:** FP-21-0110 PlusCBD Raw Softgels - 5mg 30ct EXP: 02/23  
**Matrix:** Edible (Capsule)  
**Batch #:** A21095-31104

**Date Collected:** 05/07/2021  
**Date Received:** 05/07/2021  
**Date Reported:** 05/11/2021

**TEST SUMMARY**

**Pesticides Residue Screen:** ✔ Pass

**Residual Solvent Screen:** ✔ Pass

**PESTICIDES RESIDUE SCREEN** ✔ Pass

05/11/2021

**Method:** MF 21P030

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.02/0.06	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.20/0.60	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.02/0.06	ND	0.02	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.08	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.02/0.06	ND	0.02	Pass
DDVP (Dichlorvos)	0.02/0.06	ND	0.02	Pass
Diazinon	0.02/0.06	ND	0.2	Pass
Dimethoate	0.02/0.06	ND	0.02	Pass
Dimethomorph	0.02/0.06	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.02/0.06	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxanil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.02/0.06	ND	5.0	Pass
Metaxyl	0.02/0.06	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.02/0.06	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Naled	0.02/0.06	ND	0.5	Pass
Oxamyl	0.02/0.06	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.02/0.06	ND	0.02	Pass
Pyrethrins	0.10/0.30	ND	1.0	Pass
Pyridaben	0.02/0.06	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.02/0.06	ND	0.02	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.02/0.06	ND	0.02	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass
Trifloxystrobin	0.02/0.06	ND	30.0	Pass

**RESIDUAL SOLVENT SCREEN** ✔ Pass

05/11/2021

Method: USP OVI<467>

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.10/1.00	ND	1	Pass
Acetone	50/150	ND	5000	Pass
Acetonitrile	4/12	ND	410	Pass
Benzene	0.10/1.00	ND	1	Pass
n-Butane	48/160	ND	5000	Pass
Chloroform	0.10/1.00	ND	1	Pass
Ethanol	67/200	ND	5000	Pass
Ethyl acetate	27/80	ND	5000	Pass
Ethyl ether	17/50	ND	5000	Pass
Ethylene oxide	0.50/1.00	ND	1	Pass
n-Heptane	1/4	ND	5000	Pass
n-Hexane	2/10	ND	290	Pass
Isopropyl alcohol	33/100	ND	5000	Pass
Methanol	50/150	ND	3000	Pass
Methylene chloride	0.50/1.00	ND	1	Pass
n-Pentane	2/6	ND	5000	Pass
Propane	10/33	ND	5000	Pass
Toluene	10/30	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	30/90	ND	2170	Pass
Trichloroethylene	0.10/1.00	ND	1	Pass

(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

Reported by



**Vu Lam**  
Lab Co Director



Scan to verify