



CV SCIENCES™

Certificate of Analysis  
December 16, 2020

**Sample ID:** FP-20-0759  
**Product Name:** PlusCBD Original Softgels  
**Batch/Lot #:** G20068-30337  
**Strength:** 10mg 30ct  
**Expiration:** 07/22  
**Analyst:** HP



<u>Physical Properties</u>	<u>Result</u>	<u>Method</u>
Appearance	Pass	Organoleptic
Color	Pass	Organoleptic
Aroma	Pass	Organoleptic
<u>Cannabinoid</u>	<u>mg/unit</u>	<u>Method</u>
CBD	11.16	HPLC
CBDV	0.09	HPLC
CBDA	ND	HPLC
CBGA	ND	HPLC
CBG	0.13	HPLC
CBN	0.05	HPLC
Δ <sup>9</sup> -THC	0.20	HPLC
CBC	0.86	HPLC
THCA	ND	HPLC
<b>Total Cannabinoids</b>	<b>12.47 mg</b>	
<b>Sample Size</b>	<b>0.43 g (1 softgel)</b>	
<b>THC by Mass</b>	<b>0.0466 %</b>	

ND = NOT DETECTED

*Hayley Palmer*

DEC 16 2020

*Vandana Kothari*

DEC 16 2020

Analyst \_\_\_\_\_ Date \_\_\_\_\_  
Hayley Palmer, B.S.  
Quality Analyst

Reviewed By \_\_\_\_\_ Date \_\_\_\_\_  
Vandana Kothari, M.S., B.Pharm.  
Director of Quality

This Certificate of Analysis has been generated to document product test results. The "Reviewed By" signature does not indicate finished product release for distribution.



# Certificate of Analysis

CV Sciences, Inc.

10070 Barnes Canyon Road  
San Diego, CA 92121  
Vandana Kothari

Sample

2012DBL0237.12105

Batch FP-20-0759

Lot G20068-30337

Ordered 12/16/2020

Completed 12/21/2020

PlusCBD Original Softgels - 10mg 30ct EXP: 07/22

Cannabinoids				
	<b>10.96</b>	<b>2.50</b>	<b>0.44</b>	
	Total CBD (mg/unit)	% Total CBD	Unit weight (g)	
Cannabinoid	LOQ %	Mass %	Mass mg/g	Concentration
CBD	0.01	2.48	24.8	
CBDA	0.01	0.02	0.2	
d9-THC	0.01	<LOQ	<LOQ	
THCA-A	0.01	<LOQ	<LOQ	
d8-THC	0.01	<LOQ	<LOQ	
THCV	0.01	<LOQ	<LOQ	
CBDV	0.01	<LOQ	<LOQ	
CBDVA	0.01	<LOQ	<LOQ	
CBGA	0.01	<LOQ	<LOQ	
CBG	0.01	0.01	0.1	
CBN	0.01	<LOQ	<LOQ	
CBC	0.01	0.08	0.8	
CBL	0.01	<LOQ	<LOQ	

Total CBD = CBDA + CBD

Microbiology				
Quantitative Analysis	Status	Sample	LOQ	Limit
Mold/Mildew/Yeast	Pass/Fail	CFU/g	CFU/g	CFU/g
Enterobacteriaceae	PASS	<LOQ	80	10,000
Aerobic Bacteria	PASS	<LOQ	800	100,000
Coliforms	PASS	<LOQ	80	1,000
Qualitative Analysis		Detected or Not-detected		
E. Coli	PASS		Not-detected	
Salmonella	PASS		Not-detected	
Pseudomonas	PASS		Not-detected	

Heavy Metals				
Compound	Status	Sample	LOQ	Limit
	Pass/Fail	PPB	PPB	PPB
Arsenic	PASS	45	22	1500
Cadmium	PASS	<LOQ	22	500
Mercury	PASS	<LOQ	22	1000
Lead	PASS	<LOQ	22	500

Pesticides/Plant Growth Regulators			
Pesticides	Status	Sample (PPB)	LOQ (PPB)
Acequinocyl	PASS	<LOQ	10
Abamectin	PASS	<LOQ	10
Bifenazate	PASS	<LOQ	10
Fenoxycarb	PASS	<LOQ	10
Fludioxonil	PASS	<LOQ	10
Imidacloprid	PASS	<LOQ	10
Myclobutanil	PASS	<LOQ	10
Pyrethrin	PASS	<LOQ	10
Spinosad	PASS	<LOQ	10
Spiromesifen	PASS	<LOQ	10
Spirotetramat	PASS	<LOQ	10
Tebuconazole	PASS	<LOQ	10

Plant Growth Regulators			
Daminozide	PASS	<LOQ	10

Residual Solvents		
Compound	Status	Limit (PPM)
Propane	PASS	500
Methanol	PASS	500
Isobutane	PASS	500
Ethanol	PASS	500
Isopropanol	PASS	500
Isopentane	PASS	500
n-Butane	PASS	500
n-Hexane	PASS	500
2,2-Dimethylbutane	PASS	500
3-Methylpentane	PASS	500
2-Methylpentane	PASS	500
Cyclohexane	PASS	500
Neopentane	PASS	500
n-Heptane	PASS	500
n-Pentane	PASS	500
Benzene	PASS	500

1. The hemp extract is the product of a batch tested by the independent testing laboratory.  
2. The batch contained a total delta-9-tetrahydrocannabinol concentration that did not exceed 0.3 percent pursuant to the testing of a random sample of the batch; and  
3. The batch does not contain contaminants unsafe for human consumption.



*Stacy Gardalen*

Stacy Gardalen  
Director

*Glen Marquez*

Glen Marquez  
Quality Control

The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ = Limit of Quantitation. NA = Not Analyzed. ND = Not Detected. PGR = Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by DB Labs, LLC (MMER 61887736101164525768) using valid testing methodologies and a quality system as required by Nevada state law. Values reported relate only to the product tested. DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. \*Tested analytes and limits were set by the customer. This Certificate shall not be reproduced except in full, without the written approval of DB Labs.



4439 Polaris Ave.  
Las Vegas, NV 89103  
(702)729-5180  
www.dblabslv.com

**ANALYZED BY:**

Anresco Laboratories  
1375 Van Dyke Avenue,  
San Francisco, CA 94124  
C8-0000052-LIC

**MANUFACTURER:**

CV Sciences  
10070 Barnes Canyon Road suite 100  
SAN DIEGO 92121  
n/a



**SAMPLE INFORMATION**

**Sample No.:** 1066775  
**Product Name:** FP-20-0759 PlusCBD Original Softgels - 10mg 30ct EXP: 07/22  
**Matrix:** Edible (Capsule)  
**Batch #:** G20068-30337

**Date Collected:** 12/16/2020  
**Date Received:** 12/16/2020  
**Date Reported:** 12/18/2020

**TEST SUMMARY**

Pesticides Residue Screen: ✔ Pass

Residual Solvent Screen: ✔ Pass

**PESTICIDES RESIDUE SCREEN** ✔ Pass

12/18/2020

**Method:** MF 21P030

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.04/0.10	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.04/0.10	ND	5.0	Pass
Aldicarb	0.04/0.10	ND	0.04	Pass
Azoxystrobin	0.04/0.10	ND	40.0	Pass
Bifenazate	0.04/0.10	ND	5.0	Pass
Bifenthrin	0.20/0.50	ND	0.5	Pass
Boscalid	0.04/0.10	ND	10.0	Pass
Captan	0.25/0.70	ND	5.0	Pass
Carbaryl	0.20/0.50	ND	0.5	Pass
Carbofuran	0.04/0.10	ND	0.04	Pass
Chlorantraniliprole	0.04/0.10	ND	40.0	Pass
Chlordane	0.04/0.10	ND	0.04	Pass
Chlorfenapyr	0.04/0.10	ND	0.04	Pass
Chlorpyrifos	0.04/0.10	ND	0.04	Pass
Clofentezine	0.04/0.10	ND	0.5	Pass
Coumaphos	0.04/0.10	ND	0.04	Pass
Cyfluthrin	0.70/2.00	ND	1.0	Pass
Cypermethrin	0.35/1.00	ND	1.0	Pass
Daminozide	0.04/0.10	ND	0.04	Pass
DDVP (Dichlorvos)	0.04/0.10	ND	0.04	Pass
Diazinon	0.04/0.10	ND	0.2	Pass
Dimethoate	0.04/0.10	ND	0.04	Pass
Dimethomorph	0.04/0.10	ND	20.0	Pass
Ethoprop(hos)	0.04/0.10	ND	0.04	Pass
Etofenprox	0.04/0.10	ND	0.04	Pass
Etoxazole	0.04/0.10	ND	1.5	Pass
Fenhexamid	0.04/0.10	ND	10.0	Pass
Fenoxycarb	0.04/0.10	ND	0.04	Pass
Fenpyroximate	0.04/0.10	ND	2.0	Pass
Fipronil	0.04/0.10	ND	0.04	Pass
Flonicamid	0.04/0.10	ND	2.0	Pass
Fludioxanil	0.04/0.10	ND	30.0	Pass
Hexythiazox	0.04/0.10	ND	2.0	Pass
Imazalil	0.04/0.10	ND	0.04	Pass
Imidacloprid	0.04/0.10	ND	3.0	Pass
Kresoxim Methyl	0.04/0.10	ND	1.0	Pass
Malathion	0.20/0.50	ND	5.0	Pass
Metaixyl	0.04/0.10	ND	15.0	Pass
Methiocarb	0.04/0.10	ND	0.04	Pass
Methomyl	0.04/0.10	ND	0.1	Pass
Methyl parathion	0.04/0.10	ND	0.04	Pass
Mevinphos	0.04/0.10	ND	0.04	Pass
Myclobutanil	0.04/0.10	ND	9.0	Pass

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Naled	0.04/0.10	ND	0.5	Pass
Oxamyl	0.20/0.50	ND	0.2	Pass
Paclobutrazol	0.04/0.10	ND	0.04	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.10/0.25	ND	20.0	Pass
Phosmet	0.04/0.10	ND	0.2	Pass
Piperonyl Butoxide	0.04/0.10	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.04/0.10	ND	20.0	Pass
Propoxur	0.04/0.10	ND	0.04	Pass
Pyrethrins	0.20/0.50	ND	1.0	Pass
Pyridaben	0.04/0.10	ND	3.0	Pass
Spinetoram	0.04/0.10	ND	3.0	Pass
Spinosad	0.04/0.10	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.04/0.10	ND	13.0	Pass
Spiroxamine	0.04/0.10	ND	0.04	Pass
Tebuconazole	0.04/0.10	ND	2.0	Pass
Thiacloprid	0.04/0.10	ND	0.04	Pass
Thiamethoxam	0.35/1.00	ND	4.5	Pass
Trifloxystrobin	0.04/0.10	ND	30.0	Pass

**RESIDUAL SOLVENT SCREEN** ✔ Pass

12/18/2020

Method: USP OVI&lt;467&gt;

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.40/1.00	ND	1	Pass
Acetone	17/75	ND	5000	Pass
Acetonitrile	1/6	ND	410	Pass
Benzene	0.40/1.00	ND	1	Pass
n-Butane	200/600	ND	5000	Pass
Chloroform	0.40/1.00	ND	1	Pass
Ethanol	22/100	ND	5000	Pass
Ethyl Acetate	9/40	ND	5000	Pass
Ethyl Ether	11/50	ND	5000	Pass
Ethylene Oxide	0.40/1.00	ND	1	Pass
n-Heptane	11/50	ND	5000	Pass
n-Hexane	1/5	ND	290	Pass
Isopropyl Alcohol	11/50	118.00	5000	Pass
Methanol	6/25	ND	3000	Pass
Methylene Chloride	0.40/1.00	ND	1	Pass
n-Pentane	17/75	ND	5000	Pass
Propane	125/250	ND	5000	Pass
Toluene	3/15	ND	890	Pass
Total Xylenes	1/3	ND	2170	Pass
Trichloroethylene	0.40/1.00	ND	1	Pass

(-) = Not Tested, ND = None Detected, &lt;LOQ = Below Limit of Quantitation, LOD = Limit of Detection

Reported by




 Vu Lam  
 Lab Co Director


Scan to verify