



CV SCIENCES™

Certificate of Analysis
March 9, 2021

Sample ID: FP-21-0044
Product Name: PlusCBD Extra Strength Softgels
Batch/Lot #: L20093-61061
Strength: 15mg 60ct
Expiration: 01/23
Analyst: HP



| <u>Physical Properties</u> | <u>Result</u> | <u>Method</u> |
|----------------------------|---------------------------|---------------|
| Appearance | Pass | Organoleptic |
| Color | Pass | Organoleptic |
| Aroma | Pass | Organoleptic |
| <u>Cannabinoid</u> | <u>mg/unit</u> | <u>Method</u> |
| CBD | 15.80 | HPLC |
| CBDV | 0.11 | HPLC |
| CBDA | ND | HPLC |
| CBGA | ND | HPLC |
| CBG | 0.02 | HPLC |
| CBN | ND | HPLC |
| Δ ⁹ -THC | 0.11 | HPLC |
| CBC | 0.89 | HPLC |
| THCA | ND | HPLC |
| Total Cannabinoids | 16.98 mg | |
| Sample Size | 0.40 g (1 softgel) | |
| THC by Mass | 0.0276 % | |

ND = NOT DETECTED

Hayley Palmer

MAR 09 2021

Ryan Santiago

MAR 09 2021

Analyst
Hayley Palmer, B.S.
Quality Analyst

Date

Reviewed By
Ryan Santiago, B.S.
Senior Quality Associate

Date

This Certificate of Analysis has been generated to document product test results. The "Reviewed By" signature does not indicate finished product release for distribution.



Certificate of Analysis

CV Sciences, Inc.

10070 Barnes Canyon Road
San Diego, CA 92121
Vandana Kothari

Sample

2103DBL0086.2341

Batch FP-21-0044
Lot L20093-61061
Ordered 3/5/2021

Completed 3/12/2021

PlusCBD Extra Strength Softgels -15mg 60ct EXP: 01/23

| Cannabinoids | | | | |
|---------------------|-------------|-----------------|-----------|-----------------------------------|
| 15.21 | 3.74 | 0.41 | | |
| Total CBD (mg/unit) | % Total CBD | Unit weight (g) | | |
| Cannabinoid | LOQ % | Mass % | Mass mg/g | Concentration |
| CBD | 0.01 | 3.74 | 37.4 | <div style="width: 37.4%;"></div> |
| CBDA | 0.01 | <LOQ | <LOQ | |
| d9-THC | 0.01 | <LOQ | <LOQ | |
| THCA-A | 0.01 | <LOQ | <LOQ | |
| d8-THC | 0.01 | <LOQ | <LOQ | |
| THCV | 0.01 | <LOQ | <LOQ | |
| CBDV | 0.01 | 0.04 | 0.4 | |
| CBDVA | 0.01 | <LOQ | <LOQ | |
| CBGA | 0.01 | <LOQ | <LOQ | |
| CBG | 0.01 | <LOQ | <LOQ | |
| CBN | 0.01 | <LOQ | <LOQ | |
| CBC | 0.01 | 0.04 | 0.4 | |
| CBL | 0.01 | <LOQ | <LOQ | |

| Pesticides/Plant Growth Regulators | | | |
|------------------------------------|--------|--------------|-----------|
| Pesticides | Status | Sample (PPB) | LOQ (PPB) |
| Acequinocyl | PASS | <LOQ | 10 |
| Abamectin | PASS | <LOQ | 10 |
| Bifenazate | PASS | <LOQ | 10 |
| Fenoxycarb | PASS | <LOQ | 10 |
| Fludioxonil | PASS | <LOQ | 10 |
| Imidacloprid | PASS | <LOQ | 10 |
| Ivyclobutanil | PASS | <LOQ | 10 |
| Pyrethrin | PASS | <LOQ | 10 |
| Spinosad | PASS | <LOQ | 10 |
| Spiromesifen | PASS | <LOQ | 10 |
| Spirotetramat | PASS | <LOQ | 10 |
| Tebuconazole | PASS | <LOQ | 10 |
| Plant Growth Regulators | | | |
| Daminozide | PASS | <LOQ | 10 |

| Microbiology | | | | |
|-----------------------|-----------|--------------------------|-------|---------|
| Quantitative Analysis | Status | Sample | LOQ | Limit |
| | Pass/Fail | CFU/g | CFU/g | CFU/g |
| Mold/Mildew/Yeast | PASS | <LOQ | 80 | 10,000 |
| Enterobacteriaceae | PASS | <LOQ | 80 | 1,000 |
| Aerobic Bacteria | PASS | <LOQ | 800 | 100,000 |
| Coliforms | PASS | <LOQ | 80 | 1,000 |
| Qualitative Analysis | | Detected or Not-detected | | |
| E. Coli | PASS | Not-detected | | |
| Salmonella | PASS | Not-detected | | |
| Pseudomonas | PASS | Not-detected | | |

| Residual Solvents | | |
|--------------------|--------|-------------|
| Compound | Status | Limit (PPM) |
| Propane | PASS | 500 |
| Methanol | PASS | 500 |
| Isobutane | PASS | 500 |
| Ethanol | PASS | 500 |
| Isopropanol | PASS | 500 |
| Isopentane | PASS | 500 |
| n-Butane | PASS | 500 |
| n-Hexane | PASS | 500 |
| 2,2-Dimethylbutane | PASS | 500 |
| 3-Methylpentane | PASS | 500 |
| 2-Methylpentane | PASS | 500 |
| Cyclohexane | PASS | 500 |
| Neopentane | PASS | 500 |
| n-Heptane | PASS | 500 |
| n-Pentane | PASS | 500 |
| Benzene | PASS | 500 |

| Heavy Metals | | | | |
|--------------|-----------|--------|-----|-------|
| Compound | Status | Sample | LOQ | Limit |
| | Pass/Fail | PPB | PPB | PPB |
| Arsenic | PASS | 130 | 26 | 1500 |
| Cadmium | PASS | <LOQ | 26 | 500 |
| Mercury | PASS | 31 | 26 | 1000 |
| Lead | PASS | <LOQ | 26 | 500 |

1. The hemp extract is the product of a batch tested by the independent testing laboratory.
2. The batch contained a total delta-9-tetrahydrocannabinol concentration that did not exceed 0.3 percent pursuant to the testing of a random sample of the batch; and
3. The batch does not contain contaminants unsafe for human consumption.*



Stacy Gardalen

Stacy Gardalen
Director

Glen Marquez

Glen Marquez
Quality Control

The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ = Limit of Quantitation, NA = Not Analyzed, ND = Not Detected, PGR = Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by DB Labs, LLC (MMER 61887736101164525768) using valid testing methodologies and a quality system as required by Nevada state law. Values reported relate only to the product tested. DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein.*Tested analytes and limits were set by the customer. This certificate shall not be reproduced except in full, without the written approval of DB Labs.



4439 Polaris Ave.
Las Vegas, NV 89103
(702)729-5180
www.dblabslv.com

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
C8-0000052-LIC

DISTRIBUTOR:

CV Sciences
10070 Barnes Canyon Road suite 100
SAN DIEGO 92121
n/a

MANUFACTURER:

CV Sciences, Inc.
Attn: Vandana Kothari
10070 Barnes Canyon Road, Suite 100
San Diego, CA 92121



SAMPLE INFORMATION

Sample No.: 1075274
Product Name: EP-21-0044 PlusCBD Extra Strength Softgels -15mg 60ct EXP: 01/23
Matrix: Edible (Capsule)
Batch #: L20093-61061

Date Collected: 03/05/2021
Date Received: 03/05/2021
Date Reported: 03/09/2021

TEST SUMMARY

Pesticides Residue Screen: ✔ Pass

Residual Solvent Screen: ✔ Pass

PESTICIDES RESIDUE SCREEN ✔ Pass

03/09/2021

Method: MF 21P03D

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|---------------------|---------------|----------------|-------------|--------|
| Abamectin | 0.04/0.10 | ND | 0.3 | Pass |
| Acephate | 0.04/0.10 | ND | 5.0 | Pass |
| Acequinocyl | 0.04/0.10 | ND | 4.0 | Pass |
| Acetamiprid | 0.04/0.10 | ND | 5.0 | Pass |
| Aldicarb | 0.04/0.10 | ND | 0.04 | Pass |
| Azoxystrobin | 0.04/0.10 | ND | 40.0 | Pass |
| Bifenazate | 0.04/0.10 | ND | 5.0 | Pass |
| Bifenthrin | 0.20/0.50 | ND | 0.5 | Pass |
| Boscalid | 0.04/0.10 | ND | 10.0 | Pass |
| Captan | 0.25/0.70 | ND | 5.0 | Pass |
| Carbaryl | 0.20/0.50 | ND | 0.5 | Pass |
| Carbofuran | 0.04/0.10 | ND | 0.04 | Pass |
| Chlorantraniliprole | 0.04/0.10 | ND | 40.0 | Pass |
| Chlordane | 0.04/0.10 | ND | 0.04 | Pass |
| Chlorfenapyr | 0.04/0.10 | ND | 0.04 | Pass |
| Chlorpyrifos | 0.04/0.10 | ND | 0.04 | Pass |
| Clofentezine | 0.04/0.10 | ND | 0.5 | Pass |
| Coumaphos | 0.04/0.10 | ND | 0.04 | Pass |
| Cyfluthrin | 0.70/2.00 | ND | 1.0 | Pass |
| Cypermethrin | 0.35/1.00 | ND | 1.0 | Pass |
| Daminozide | 0.04/0.10 | ND | 0.04 | Pass |
| DDVP (Dichlorvos) | 0.04/0.10 | ND | 0.04 | Pass |
| Diazinon | 0.04/0.10 | ND | 0.2 | Pass |
| Dimethoate | 0.04/0.10 | ND | 0.04 | Pass |
| Dimethomorph | 0.04/0.10 | ND | 20.0 | Pass |
| Ethoprop(hos) | 0.04/0.10 | ND | 0.04 | Pass |
| Etofenprox | 0.04/0.10 | ND | 0.04 | Pass |
| Etoxazole | 0.04/0.10 | ND | 1.5 | Pass |
| Fenhexamid | 0.04/0.10 | ND | 10.0 | Pass |
| Fenoxycarb | 0.04/0.10 | ND | 0.04 | Pass |
| Fenpyroximate | 0.04/0.10 | ND | 2.0 | Pass |
| Fipronil | 0.04/0.10 | ND | 0.04 | Pass |
| Flonicamid | 0.04/0.10 | ND | 2.0 | Pass |
| Fludioxanil | 0.04/0.10 | ND | 30.0 | Pass |
| Hexythiazox | 0.04/0.10 | ND | 2.0 | Pass |
| Imazalil | 0.04/0.10 | ND | 0.04 | Pass |
| Imidacloprid | 0.04/0.10 | ND | 3.0 | Pass |
| Kresoxim Methyl | 0.04/0.10 | ND | 1.0 | Pass |
| Malathion | 0.20/0.50 | ND | 5.0 | Pass |
| Metaxyl | 0.04/0.10 | ND | 15.0 | Pass |
| Methiocarb | 0.04/0.10 | ND | 0.04 | Pass |
| Methomyl | 0.04/0.10 | ND | 0.1 | Pass |
| Methyl parathion | 0.04/0.10 | ND | 0.04 | Pass |
| Mevinphos | 0.04/0.10 | ND | 0.04 | Pass |

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|-------------------------|---------------|----------------|-------------|--------|
| Myclobutanil | 0.04/0.10 | ND | 9.0 | Pass |
| Naled | 0.04/0.10 | ND | 0.5 | Pass |
| Oxamyl | 0.04/0.10 | ND | 0.2 | Pass |
| Paclobutrazol | 0.04/0.10 | ND | 0.04 | Pass |
| Pentachloronitrobenzene | 0.04/0.10 | ND | 0.2 | Pass |
| Permethrins | 0.20/0.50 | ND | 20.0 | Pass |
| Phosmet | 0.04/0.10 | ND | 0.2 | Pass |
| Piperonyl Butoxide | 0.04/0.10 | ND | 8.0 | Pass |
| Prallethrin | 0.04/0.10 | ND | 0.4 | Pass |
| Propiconazole | 0.04/0.10 | ND | 20.0 | Pass |
| Propoxur | 0.04/0.10 | ND | 0.04 | Pass |
| Pyrethrins | 0.20/0.50 | ND | 1.0 | Pass |
| Pyridaben | 0.04/0.10 | ND | 3.0 | Pass |
| Spinetoram | 0.04/0.10 | ND | 3.0 | Pass |
| Spinosad | 0.04/0.10 | ND | 3.0 | Pass |
| Spiromesifen | 0.04/0.10 | ND | 12.0 | Pass |
| Spirotetramat | 0.04/0.10 | ND | 13.0 | Pass |
| Spiroxamine | 0.04/0.10 | ND | 0.04 | Pass |
| Tebuconazole | 0.04/0.10 | <LOQ | 2.0 | Pass |
| Thiacloprid | 0.04/0.10 | ND | 0.04 | Pass |
| Thiamethoxam | 0.35/1.00 | ND | 4.5 | Pass |
| Trifloxystrobin | 0.04/0.10 | ND | 30.0 | Pass |

RESIDUAL SOLVENT SCREEN ✔ Pass

03/09/2021

Method: USP CVI<467>

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|--------------------------------------|---------------|----------------|-------------|--------|
| 1,2-Dichloroethane | 0.10/1.00 | ND | 1 | Pass |
| Acetone | 50/150 | ND | 5000 | Pass |
| Acetonitrile | 4/12 | ND | 410 | Pass |
| Benzene | 0.10/1.00 | ND | 1 | Pass |
| n-Butane | 48/160 | ND | 5000 | Pass |
| Chloroform | 0.10/1.00 | ND | 1 | Pass |
| Ethanol | 67/200 | ND | 5000 | Pass |
| Ethyl acetate | 27/80 | ND | 5000 | Pass |
| Ethyl ether | 17/50 | ND | 5000 | Pass |
| Ethylene oxide | 0.50/1.00 | ND | 1 | Pass |
| n-Heptane | 1/4 | ND | 5000 | Pass |
| n-Hexane | 2/10 | ND | 290 | Pass |
| Isopropyl alcohol | 33/100 | ND | 5000 | Pass |
| Methanol | 50/150 | ND | 3000 | Pass |
| Methylene chloride | 0.50/1.00 | ND | 1 | Pass |
| n-Pentane | 2/6 | ND | 5000 | Pass |
| Propane | 10/33 | ND | 5000 | Pass |
| Toluene | 10/30 | ND | 890 | Pass |
| Total xylenes (ortho-, meta-, para-) | 30/90 | ND | 2170 | Pass |
| Trichloroethylene | 0.10/1.00 | ND | 1 | Pass |

(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

Reported by




Vu Lam
Lab Co Director



Scan to verify